




**2013 CA RESIDENTIAL
CODE R502.3**

TABLE NAILING
SCHEDULE R 602.3(1)



1-INCH BY 4-INCH
LEFT-IN RIBBON
STRIP. RECOMMEND
ATTACHMENT WITH
TWO 8d COMMON OR

RECOMMENDED FACE NAIL-
EACH JOIST LAPPED WITH
ADJACENT STUD WITH THREE
16d COMMON OR BOX NAILS
(SIMILAR TO ITEM 29.
TABLE R602.3(1)



STUDS, TYPICAL


JOISTS BEARING ON RIBBON STRIP




MASONRY OR
CONCRETE
WALL

JOISTS SUPPORTED BY APPROVED ANCHORS

RECOMMEND THREE 8d COMMON
OR BOX NAILS EACH END WITH METAL
STRAP, OR THREE 16d COMMON OR
BOX NAILS EACH END WITH WOOD
STRAP (6 NAILS TOTAL EACH STRAP).




FLOOR JOISTS TIED OVER WOOD BEAM, GIRDER OR PARTITION



JOISTS BEARING ON CONCRETE OR MASONRY

RECOMMEND THREE 16d COMMON
OR BOX FACE NAILS AT LAP OF
JOISTS (SIMILAR TO ITEM 17,
TABLE 23-I-Q).



JOIST LAPPING OVER BEAM, GIRDER OR PARTITION

THREE 8d COMMON OR BOX
TOENAILS—EACH JOIST TO
SILL OR GIRDER. ITEM 17
TABLE R602.3(1).